

Table 4. Estimated numbers of AIDS cases in children <13 years of age, by year of diagnosis and transmission category, 2000–2004—United States


	Year of diagnosis					Cumulative through 2004 ^a
	2000	2001	2002	2003	2004	
Race/ethnicity						
White, not Hispanic	11	13	14	12	7	1,612
Black, not Hispanic	93	79	71	43	29	5,590
Hispanic	18	22	21	12	8	2,128
Asian/Pacific Islander	2	1	1	0	1	53
American Indian/Alaska Native	0	0	1	1	1	34
Transmission category						
Hemophilia/coagulation disorder	0	0	0	0	0	230
Mother with the following risk factor for, or documented, HIV infection	122	113	105	68	47	8,779
<i>Injection drug use</i>	23	14	9	9	5	3,338
<i>Sex with injection drug user</i>	15	7	4	7	2	1,524
<i>Sex with bisexual male</i>	3	3	3	0	2	201
<i>Sex with person with hemophilia</i>	0	1	0	0	0	37
<i>Sex with HIV-infected transfusion recipient</i>	0	0	0	0	0	27
<i>Sex with HIV-infected person, risk factor not specified</i>	35	36	38	20	18	1,515
<i>Receipt of blood transfusion, blood components, or tissue</i>	2	1	2	1	0	152
<i>Has HIV infection, risk factor not specified</i>	45	49	48	31	19	1,984
Receipt of blood transfusion, blood components, or tissue	1	0	2	0	0	389
Other/risk factor not reported or identified	1	3	1	1	0	45
Total^b	124	115	109	69	48	9,443

Note. These numbers do not represent reported case counts. Rather, these numbers are point estimates, which result from adjustments of reported case counts. The reported case counts are adjusted for reporting delays and for redistribution of cases in persons initially reported without an identified risk factor. The estimates do not include adjustment for incomplete reporting.

^a Includes children with a diagnosis of AIDS, from the beginning of the epidemic through 2004.

^b Includes children of unknown race or multiple races. Cumulative total includes 24 children of unknown race or multiple races. Because column totals were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Figure 1. Estimated numbers of AIDS cases in children <13 years of age, by year of diagnosis, 1992–2004—United States



Note. These numbers do not represent reported case counts. Rather, these numbers are point estimates, which result from adjustments of reported case counts. The reported case counts are adjusted for reporting delays. The estimates do not include adjustment for incomplete reporting.